

Natural Pharmacy Business References

Feb/March 2024

Pg12/14 - CPD – Healthy Pregnancy

Andrey N. Gaiday, Akylbek B. Tussupkaliyev, Saule K. Bermagambetova, Sagira S. Zhumagulova, Leyla K. Sarsembayeva, Moldir B. Dossimbetova, Zhanibek Zh Daribay, Effect of homocysteine on pregnancy: A systematic review. *Chemico-Biological Interactions*. 2018 Volume 293, Pages 70-76.

Aune, D, Saugstad, OD, Henriksen, T, Tonstad, S. Physical activity and the risk of preeclampsia: a systematic review and meta-analysis. *Epidemiology* 2014;25:331–43.

Azevedo-Martins, AK, Nonato, G, Newson, L & Abayomi, JC , 'The importance of good nutrition during pregnancy. A comparison between the UK and Brazil'. 2022. *British Journal of Midwifery*.

Barakat, R, Franco, E, Perales, M, López, C, Mottola, MF. Exercise during pregnancy is associated with a shorter duration of labor. A randomized clinical trial. *Eur J Obstet Gynecol Reprod Biol* 2018;224:33–40.

Barker DJ. Fetal origins of coronary heart disease. *BMJ*. 1995; 311:(6998)171-174

Bath SC, Steer CD, Golding J, Emmett P, Rayman MP. Effect of inadequate iodine status in UK pregnant women on cognitive outcomes in their children: results from the Avon Longitudinal Study of Parents and Children (ALSPAC). *Lancet*. 2013;382: 3313-3317.

Breyman C, Honegger C, Holzgreve W, Surbek D. Diagnosis and treatment of iron-deficiency anaemia during pregnancy and postpartum. *Arch Gynecol Obstet*. 2010;282:577–80.

Caudill MA, Strupp BJ, Muscalu L, Nevins JEH, Canfield RL. Maternal choline supplementation during the third trimester of pregnancy improves infant information processing speed: a randomized, double-blind, controlled feeding study. *FASEB J*. 2018 Apr;32(4):2172-2180.

Cerami C. Iron Nutrition of the Fetus, Neonate, Infant, and Child. *Ann Nutr Metab*. 2017;71 Suppl 3(Suppl 3):8-14.

Chan CWH, Au Yeung E, Law BMH. Effectiveness of Physical Activity Interventions on Pregnancy-Related Outcomes among Pregnant Women: A Systematic Review. *Int J Environ Res Public Health*. 2019 May 23;16(10):1840.

Cordero AM, Crider KS, Rogers LM, Cannon MJ, Berry RJ. Optimal serum and red blood cell folate concentrations in women of reproductive age for prevention of neural tube defects:

World Health Organization guidelines. *MMWR Morb Mortal Wkly Rep.* 2015 Apr 24;64(15):421-3.

Cordero, Y, Mottola, MF, Vargas, J, Blanco, M, Barakat, R. Exercise is associated with a reduction in gestational diabetes mellitus. *Med Sci Sports Exerc* 2015;47:1328–33.

Crovetto F, Nakaki A, Arranz A, et al. Effect of a Mediterranean Diet or Mindfulness-Based Stress Reduction During Pregnancy on Child Neurodevelopment: A Prespecified Analysis of the IMPACT BCN Randomized Clinical Trial. *JAMA Netw Open.* 2023;6(8).

Dai C, Fei Y, Li J, Shi Y, Yang X. A Novel Review of Homocysteine and Pregnancy Complications. *Biomed Res Int.* 2021 May 6;2021:6652231.

Darnton-Hill I. Iodine in pregnancy and lactation. WHO. 2017

Das J, Maitra A. Maternal DNA Methylation During Pregnancy: a Review. *Reprod Sci.* 2021 Oct;28(10):2758-2769.

Davenport MH, McCurdy AP, Mottola MF, Skow RJ, Meah VL, Poitras VJ, Jaramillo Garcia A, Gray CE, Barrowman N, Riske L, Sobierajski F, James M, Nagpal T, Marchand AA, Nuspl M, Slater LG, Barakat R, Adamo KB, Davies GA, Ruchat SM. Impact of prenatal exercise on both prenatal and postnatal anxiety and depressive symptoms: a systematic review and meta-analysis. *Br J Sports Med.* 2018 Nov;52(21):1376-1385.

Davenport M.H., Marchand A.A., Mottola M.F., Poitras V.J., Gray C.E., Jaramillo Garcia A., Barrowman N., Sobierajski F., James M., Meah V.L., et al. Exercise for the prevention and treatment of low back, pelvic girdle and lumbopelvic pain during pregnancy: A systematic review and meta-analysis. *Br. J. Sports Med.* 2019;53:90–98.

DeJorge FB, Delascio D, de UlhoaCint AB, Antunes ML. Magnesium concentration in the blood serum of normal pregnant women *Obstet Gynecol*, 25 (1965), pp. 253-254

De-Regil LM, Harding KB, Peña-Rosas JP, Webster AC. Iodine supplementation for women during the preconception, pregnancy and postpartum period. Protocol. *Cochrane Database of Systematic Reviews.* 2015; Issue 6. Art. No.: CD011761.

Di Mascio D, Magro-Malosso ER, Saccone G, Marhefka GD, Berghella V. Exercise during pregnancy in normal-weight women and risk of preterm birth: a systematic review and meta-analysis of randomized controlled trials. *Am J Obstet Gynecol.* 2016 Nov;215(5):561-571.

Food and Nutrition Board, Institute of Medicine. Dietary Reference Intakes: Thiamin, Riboflavin, Niacin, Vitamin B-6, Vitamin B12, Pantothenic Acid, Biotin, and Choline. Washington, D.C.: National Academy of Sciences; 1998. pp. 390–422.

Geng F, Mai X, Zhan J, Xu L, Zhao Z, Georgieff M, et al.: Impact of fetal-neonatal iron deficiency on recognition memory at 2 months of age. *J Pediatr* 2015; 167: 1226–1232.

Haakstad LA, Torset B, Bø K. What is the effect of regular group exercise on maternal psychological outcomes and common pregnancy complaints? An assessor blinded RCT. *Midwifery*. 2016 Jan;32:81-6.

Hantoushzadeh S, Jafarabadi M, Khazardoust S. Serum magnesium levels, muscle cramps, and preterm labor. *Int J Gynaecol Obstet*, 98 (2007), pp. 153-154

Hindmarsh P, Geary M, Rodeck C, Jackson M, Kingdom J. Effect of early maternal iron stores on placental weight and structure. *Lancet* 2000; 356: 719–723.

Institute of Medicine (US) Committee on Nutritional Status During Pregnancy and Lactation. *Nutrition During Pregnancy: Part I Weight Gain: Part II Nutrient Supplements*. Washington (DC): National Academies Press (US); 1990. 14, Iron Nutrition During Pregnancy.

Lamers Y, Prinz-Langenohl R, Brämswig S, Pietrzik K. Red blood cell folate concentrations increase more after supplementation with [6S]-5-methyltetrahydrofolate than with folic acid in women of childbearing age. *Am J Clin Nutr*. 2006 Jul;84(1):156-61.

Magnusardottir AR, Steingrimsdottir L, Thorgeirsdottir H, Hauksson A, Skuladottir GV. Red blood cell n-3 polyunsaturated fatty acids in first trimester of pregnancy are inversely associated with placental weight. *Acta Obstetrica et Gynecologica Scandinavica* 2009; 88: 91–97.

Shaw GM, Carmichael SL, Yang W, Selvin S, Schaffer DM. Periconceptional dietary intake of choline and betaine and neural tube defects in offspring. *Am J Epidemiol*. 2004 Jul 15;160(2):102-9.

Middleton P, Gomersall JC, Gould JF, Shepherd E, Olsen SF, Makrides M. Omega-3 fatty acid addition during pregnancy. *Cochrane Database Syst Rev*. 2018 Nov 15;11(11):CD003402.

Minhas AS, Hong X, Wang G, Rhee DK, Liu T, Zhang M, Michos ED, Wang X, Mueller NT. Mediterranean-Style Diet and Risk of Preeclampsia by Race in the Boston Birth Cohort. *J Am Heart Assoc*. 2022 May 3;11(9).

Moyer C, Reoyo OR, May L. The Influence of Prenatal Exercise on Offspring Health: A Review. *Clin Med Insights Womens Health*. 2016 Oct 17;9:37-42.

Pearce EN. Iodine deficiency in pregnant women in the UK: the costs of inaction. *Lancet Diabetes Endocrinol*. 2015 Sep;3(9):671-2.

Perales M, Santos-Lozano A, Ruiz JR, Lucia A, Barakat R. Benefits of aerobic or resistance training during pregnancy on maternal health and perinatal outcomes: A systematic review. *Early Hum Dev*. 2016 Mar;94:43-8.

Pilz S, Zittermann A, Obeid R, Hahn A, Pludowski P, Trummer C, Lerchbaum E, Pérez-López FR, Karras SN, März W. The Role of Vitamin D in Fertility and during Pregnancy and Lactation: A Review of Clinical Data. *Int J Environ Res Public Health*. 2018 Oct 12;15(10):2241.

Poyatos-León R, García-Hermoso A, Sanabria-Martínez G, Álvarez-Bueno C, Sánchez-López M, Martínez-Vizcaíno V. Effects of exercise during pregnancy on mode of delivery: a meta-analysis. *Acta Obstet Gynecol Scand.* 2015 Oct;94(10):1039-47.

Resnick LM, Barbagallo M, Bardicéf M et al. Cellular-free magnesium depletion in brain and muscle of normal and preeclamptic pregnancy: a nuclear magnetic resonance spectroscopic study. *Hypertension*, 44 (2004), pp. 322-326

Ribeiro MM, Andrade A, Nunes I. Physical exercise in pregnancy: benefits, risks and prescription. *J Perinat Med.* 2021 Sep 6;50(1):4-17.

Stephenson J, Heslehurst N, Hall J, Schoenaker DAJM, Hutchinson J, Cade JE, Poston L, Barrett G, Crozier SR, Barker M, Kumaran K, Yajnik CS, Baird J, Mishra GD. Before the beginning: nutrition and lifestyle in the preconception period and its importance for future health. *Lancet.* 2018 May 5;391(10132):1830-1841.

Supakatisant C, Phupong V. Oral magnesium for relief in pregnancy-induced leg cramps: a randomised controlled trial. *Matern Child Nutr.* 2015 Apr;11(2):139-45.

Towards a Healthier Britain. 2010. PAGB

United Nations Children's Fund. UNICEF's approach to scaling up nutrition. 2016.

Walker AF, Marakis G, Christie S, Byng M. Mg citrate found more bioavailable than other Mg preparations in a randomised, double-blind study. *Magnes Res.* 2003 Sep;16(3):183-91.

Good maternal nutrition. Denmark: WHO Regional Office; 2016

Woo J, Guffey T, Dailey R, Misra D, Giurgescu C. Vitamin D Status as an Important Predictor of Preterm Birth in a Cohort of Black Women. *Nutrients.* 2023; 15(21):4637

Zimmermann MB. Iodine deficiency. *Endocr Rev.* 2009; 30: 376-408.